



bulkfill flow



filling *fast*
filling safe

*M*adespa

ventura

ventura **bulkfill flow**

It is a restorative composite based on new pioneering technology designed to be **TEGDMA and HEMA-free**.

The absence of these substances prevents toxicological and allergic effects and, therefore, **ventura bulkfill flow** is definitely better tolerated by patients.

The use of lower molecular weight monomers and the absence of TEGDMA and HEMA considerably reduce the contamination with these substances due to skin contact, inhalation and dissolution in saliva with the subsequent absorption into the body.



Very low shrinkage stress and volumetric shrinkage



Self-leveling



Monomer-free



Layer thickness

Physical properties


Depth of cure	> 5,4 mm
Shrinkage stress (MPa) (after 30 min.)	< 8 MPa
Volumetric shrinkage	3,44%
Flexural strength	113 + 14 MPa
Radiopacity (% Al)	> 280

Available in:


Ref: 1923 - Ventura bulkfill flow universal - 2 g + 12 tips.

Ref: 1712 - Ventura tips bulkfill - 25 u.


Maximum reliability in posterior restorations when using the **two-layer technique**, saving time in comparison to the conventional technique.



+



* for dark Ventura Nanolux colours such as A3.5 let 30" pass



Guaranteed marginal integrity

Two effects influence the quality of restorations: the shrinkage volume and the shrinkage stress.

Both the shrinkage stress and the volumetric shrinkage of **ventura bulkfill flow** are comparable to those of universal composites.

ventura

ventura **bulkfill flow**

You can find out more about
our filling materials in
our composite brochure.



Madespa

Río Jarama, 120 - 45007 - TOLEDO
ESPAÑA (SPAIN) www.madespa.com
Tel: +34 925.241.025
e-mail: info@maadespa.com